






Recommended for heavy industrial Modello consigliato per utilizzo
gravoso lubre

Dimension do not include drive kits

See page 31 for available drive kits



Eco-Vacuum system | Impiantovuotoecologico



1	Inlet 4" manual valve kit	1	6.860001790-2
1	Outlet 6" pneumatic valve kit 1		6.860000940-2
2	Primary cut-off (manway) 2	6.840000450-2	3 Secondary cut-off 2
		6.344000130-2	
4	Security filter	1	6.444000480-2
6	Oil-silenceroutlet filter	1	6.448000000-2
7	Heat exchanger	1	6.822300500-2
8	Suction boom		see page 34





**MORO KAISER
COMPONENTS**

MORO KAISER S.R.L.

Via Pontebbana, 16 - 33080 Fiume Veneto (PN), ITALY

T +39 0434 951 211 F +39 0434 957 786

infomoro@morokaiser.it | www.morokaiser.it

KAISER AG

Vorarlbergerstrasse 220

9486 Schaanwald, Liechtenstein T

+423 377 21 21 kaiserag@kaiser.li

www.kaiser.li

KAISER PREMIER LLC

2550 E. Bijou Ave.

Fort Morgan, CO 80701, USA T +1

970 542 1975

sales@kaiserpremier.com

www.kaiserpremier.com

OY EUR-MARK AB

KAISER Fahrzeugtechnik GmbH

Jakobstadsvägen 39

Gewerbestraße 4

66900 Nykarleby, Finland 6710

Nenzling, Austria T +358 20 73 45

800 T +43 5525 641 80

info@eurmark.fi [mail@kaiser-](mailto:mail@kaiser-fahrzeugtechnik.at)

fahrzeugtechnik.at [www.kaiser-](http://www.kaiser-
eurmark.fi)

[www.kaiser-](http://www.kaiser-fahrzeugtechnik.at)

[www.kaiser-](http://www.kaiser-fahrzeugtechnik.at)

Eastern Europe s.r.o.

Priemyselná 604/5

922 02 Krakovany, Slovakia T

+421 33 7353 500

kaiser@kaiser-ee.sk

www.kaiser-ee.sk